

**COLOROX  
GERMICIDAL BLEACH**

Revised: 10/01/2000

**MSDS Contents**

II HEALTH HAZARD DATA  
III HAZARDOUS INGREDIENTS  
IV SPECIAL PROTECTION AND PRECAUTIONS  
V TRANSPORTATION AND REGULATORY DATA  
VI SPILL PROCEDURES/WASTE DISPOSAL  
VII REACTIVITY DATA  
VIII FIRE AND EXPLOSION DATA  
IX PHYSICAL DATA

**Item Number:**  
1CH10

**Mfg. Model Number:**  
00128

COLOROX REGULAR

MATERIAL SAFETY DATA SHEET

THE COLOROX COMPANY  
1221 BROADWAY  
OAKLAND, CA 94612

TEL.: (510) 271-7000

-----I -----

PRODUCT: COLOROX GERMICIDAL BLEACH

DESCRIPTION: CLEAR, LIGHT YELLOW LIQUID WITH CHLORINE ODOR.

OTHER DESIGNATIONS:  
EPA REGISTRATION NO. 5813-1  
SODIUM HYPOCHLORITE SOLUTION  
LIQUID CHLORINE BLEACH  
COLOROX LIQUID BLEACH

DISTRIBUTOR:  
COLOROX SALES COMPANY  
1221 BROADWAY  
OAKLAND, CA 94612

EMERGENCY TELEPHONE NOS.:

FOR MEDICAL EMERGENCIES CALL: (800) 446-1014

FOR TRANSPORTATION EMERGENCIES:  
CHEMTREC: (800) 424-9300

---

**II HEALTH HAZARD DATA**

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. MAY IRRITATE SKIN. MAY CAUSE NAUSEA AND VOMITING IF INGESTED. EXPOSURE TO VAPOR OR MIST MAY IRRITATE NOSE, THROAT AND LUNGS. THE FOLLOWING MEDICAL CONDITIONS MAY BE AGGRAVATED BY EXPOSURE TO HIGH CONCENTRATIONS OF VAPOR OR MIST; HEART CONDITIONS OR CHRONIC RESPIRATORY PROBLEMS SUCH AS ASTHMA, CHRONIC BRONCHITIS OR OBSTRUCTIVE LUNG DISEASE. UNDER NORMAL CONSUMER USE CONDITIONS THE LIKELIHOOD OF ANY ADVERSE HEALTH EFFECTS ARE LOW.

FIRST AID:

EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER. IF IRRITATION PERSISTS, SEE A DOCTOR.

SKIN CONTACT: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH WATER.

INGESTION: DRINK A GLASSFUL OF WATER AND CALL A PHYSICIAN.

INHALATION: IF BREATHING PROBLEMS DEVELOP REMOVE TO FRESH AIR.

---

### III HAZARDOUS INGREDIENTS

INGREDIENTS	CONCENTRATION	WORKER EXPOSURE LIMIT
SODIUM HYPOCHLORITE CAS # 7681-52-9	5.25%	NOT ESTABLISHED

NONE OF THE INGREDIENTS IN THIS PRODUCT ARE ON THE IARC, NTP OR OSHA CARCINOGEN LIST. OCCASIONAL CLINICAL REPORTS SUGGEST A LOW POTENTIAL FOR SENSITIZATION UPON EXAGGERATED EXPOSURE TO SODIUM HYPOCHLORITE IF SKIN DAMAGE (E.G. IRRITATION) OCCURS DURING EXPOSURE. ROUTINE CLINICAL TESTS CONDUCTED ON INTACT SKIN WITH CLOROX LIQUID BLEACH FOUND NO SENSITIZATION IN THE TEST SUBJECTS.

---

### IV SPECIAL PROTECTION AND PRECAUTIONS

HYGIENIC PRACTICES:

WEAR SAFETY GLASSES. WITH REPEATED OR PROLONGED USE, WEAR GLOVES.

ENGINEERING CONTROLS:

USE GENERAL VENTILATION TO MINIMIZE EXPOSURE TO VAPOR OR MIST.

WORK PRACTICES:

AVOID EYE AND SKIN CONTACT AND INHALATION OF VAPOR OR MIST.

KEEP OUT OF THE REACH OF CHILDREN.

---

## V TRANSPORTATION AND REGULATORY DATA

U.S. DOT HAZARD CLASS: NOT RESTRICTED.

U.S. DOT PROPER SHIPPING NAME: NOT RESTRICTED PER 49CFR172.101(C)12(IV).

SECTION 313 (TITLE III SUPERFUND AMENDMENT AND REAUTHORIZATION ACT):  
AS A CONSUMER PRODUCT, THIS PRODUCT IS EXEMPT FROM SUPPLIER NOTIFICATION  
REQUIREMENTS UNDER SECTION 313 TITLE III OF THE SUPERFUND AMENDMENT AND  
REAUTHORIZATION ACT OF 1986 (REFERENCE 40 CFR PART 372).

---

## VI SPILL PROCEDURES/WASTE DISPOSAL

SMALL SPILLS (<5 GALLONS):

- 1) ABSORB, CONTAINERIZE, AND LANDFILL IN ACCORDANCE WITH LOCAL REGULATIONS.
- 2) (2) WASH DOWN RESIDUAL TO SANITARY SEWER.\*

LARGE SPILLS (>5 GALLONS):

- 1) ABSORB, CONTAINERIZE, AND LANDFILL IN ACCORDANCE WITH LOCAL REGULATIONS;  
WASH DOWN RESIDUAL TO SANITARY SEWER.\* -OR - (2) PUMP MATERIAL TO WASTE  
DRUM(S) AND DISPOSE IN ACCORDANCE WITH LOCAL REGULATIONS; WASH DOWN RESIDUAL  
TO SANITARY SEWER.\*

\* CONTACT THE SANITARY TREATMENT FACILITY IN ADVANCE TO ASSURE ABILITY TO  
PROCESS WASHED-DOWN MATERIAL.

---

## VII REACTIVITY DATA

STABLE UNDER NORMAL USE AND STORAGE CONDITIONS. STRONG OXIDIZING AGENT.  
REACTS WITH OTHER HOUSEHOLD CHEMICALS SUCH AS TOILET BOWL CLEANERS, RUST  
REMOVERS, VINEGAR, ACIDS OR AMMONIA CONTAINING PRODUCTS TO PRODUCE  
HAZARDOUS GASES, SUCH AS CHLORINE AND OTHER CHLORINATED SPECIES. PROLONGED  
CONTACT WITH METAL MAY CAUSE PITTING OR DISCOLORATION.

---

## VIII FIRE AND EXPLOSION DATA

NOT FLAMMABLE OR EXPLOSIVE. IN A FIRE, COOL CONTAINERS TO PREVENT RUPTURE  
AND RELEASE OF SODIUM CHLORATE.

---

## IX PHYSICAL DATA

BOILING POINT: 212 DEG. F/100 DEG. C DECOMPOSES)

SPECIFIC GRAVITY (H<sub>2</sub>O = 1): 1.085

SOLUBILITY IN WATER: COMPLETE

pH: 11.4

(C) 1963, 1991 THE CLOROX COMPANY

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH

DATE PREPARED: 10/00